

# **AGPRO Organosilicone**

## 1. SUBSTANCE IDENTIFICATION

SUPPLIER NAME AGPRO NZ Limited

SUPPLIER ADDRESS 10 Polaris Place, East Tamaki, Auckland 2013

PO Box 58-963, Botany, Auckland 2163

Polyether modified trisiloxane liquid

SUPPLIER DETAILS 09 273 3456 or freephone 0508 536 536

www.agpro.co.nz

**EMERGENCY PHONE** 

POISON INFORMATION 0800 POISON (0800 764 766) 24 hours 0800 CHEMICAL EMERGENCY 0800 CHEMICAL (0800 243 622) 24 hours

ACTIVE INGREDIENT(S) AND

PRESENTATION

**.**..

CHEMICAL FAMILY USE

Siloxane Adjuvant

### 2. HAZARDS IDENTIFICATION

Hazardous according to the NZ Environmental Protection Authority criteria.

> Skin irritation Category 2 Eye irritant Category 2

Hazardous to the aquatic environment chronic Category 2

HSNO

6.1D, 6.3A, 6.4A, 9.1B

CLASSIFICATIONS

SIGNAL WORD WARNING

**PICTOGRAMS** 



HAZARD STATEMENTS H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

PREVENTION P102 Keep out of reach of children.

STATEMENTS P103 Read carefully and follow all instructions.

P261 Avoid breathing mist/vapour/spray.

P264 Wash face and hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

RESPONSE P101 If medical advice is needed, have product container or label on hand.

STATEMENTS P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

+ P338 lenses, if present and easy to do so. Continue rinsing.

P312 Call a POISON CENTRE or doctor/physician if you feel unwell.



# **AGPRO Organosilicone**

### 2. HAZARDS IDENTIFICATION

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

If eye irritation persists: Get medical advice/ attention. P337 + P313

P362 + P364 Take off contaminated clothing and wash before re-use.

**STORAGE** See Section 7.

**STATEMENTS** 

DISPOSAL Dispose of contents/ containers in accordance with relevant regulations.

STATEMENTS See Section 13.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**COMMON NAME CAS NUMBER CONCENTRATION % w/v** 

Polyether modified trisiloxane Proprietary >50%

Non-hazardous ingredients Proprietary Balance to 100%

#### FIRST AID MEASURES

For advice call the National Poisons Centre 0800 POISON (0800 764 766) 24 hours or a doctor. If medical advice is needed have product container or label to hand.

**EYE CONTACT** Rinse cautiously for several minutes. Remove contact lenses if present and easy to do so.

Continue rinsing. If eye irritation persists, get medical attention/advice.

SKIN (or hair) CONTACT Remove contaminated clothing and flush skin and hair with running water. If skin irritation occurs,

get medical advice/ attention.

INHALATION Remove to fresh air and keep at rest in a position comfortable for breathing. Apply artificial

respiration if not breathing. Call doctor if you feel unwell.

**INGESTION** Do NOT induce vomiting. Rinse mouth. Call the POISON CENTRE or a doctor if you feel unwell.

NOTES TO DOCTOR Treat symptomatically.

FIRST AID FACILITIES Eye wash facilities and safety shower should be available.

### 5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA Alcohol resistant foam is preferred firefighting medium but if it is not available,

standard foam can be used. Prevent extinguishing media from entering drains.

THERMAL DECOMPOSITION PRODUCTS Non-flammable. Thermal decomposition may produce toxic fumes and

compounds.

SPECIAL FIRE FIGHTING METHODS Self-contained breathing apparatus with full face-piece and protective clothing.

Cool fire exposed containers with water spray.

HAZCHEM CODE

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS Exclude non-essential people from the area. Wear Personal Protective Equipment

(PPE) as detailed in Section 8 of the SDS.

**ENVIRONMENTAL PRECAUTIONS** 

Prevent product from entering waterways or drains.

SPILLS AND DISPOSAL Spills may be slippery and should be cleaned up immediately. Contain spillage, then cover / absorb with inert, non-combustible absorbent material (attapulgite or similar).



# **AGPRO Organosilicone**

### 6. ACCIDENTAL RELEASE MEASURES

Collect and place in suitable sealed, labelled containers for disposal. Wash area with water and absorb with further inert material. See Section 13 for details on disposal.

## 7. HANDLING AND STORAGE

PRECAUTIONS FOR HANDLING

Carefully read the label before use. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands and face before eating. Prohibit eating, drinking and smoking in contaminated areas.

**STORAGE** 

Store in original container, tightly closed, in a secure, dry, cool and well-ventilated area and avoid direct sunlight. Store away from foodstuffs, fertilisers or seeds. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Stores containing 1000 litres or more of AGPRO Organosilicone require secondary containment, signage and an emergency response plan.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS Not established.

EYE PROTECTION Wear eye/face protection.

RESPIRATORY PROTECTION Respiratory protection is not required if good ventilation is maintained. Where an inhalation

risk exists, wear a Type A (Organic-Vapour) respirator.

VENTILATION Avoid inhalation. Use in well ventilated area.

HYGIENE PRECAUTIONS Do not eat, drink or smoke while working with this product. Remove clothing that becomes

soaked or contaminated and wash before reuse. Wash hands and face before breaks and

after work.

### 9. APPEARANCE / STATE/ ODOUR:

BOILING POINT Not Available

DENSITY Approx. 1.0g/ml @ 25°C

DECOMPOSITION TEMP

Not Available.

>93 °C (typical)

EXPLOSION PROPERTIES

Not Applicable.

SOLUBILITY Disperses fully in water.

pH (1% solution) 6.5 - 8.5

SETTING POINT Not Available.

AUTOIGNITION TEMP Not Applicable.

VAPOUR DENSITY Not Available.

VAPOUR PRESSURE Not Available.

VISCOSITY Not Available.

OCTANOL / WATER

PARTITION COEFFICIENT Not Available.



# **AGPRO Organosilicone**

### 10. STABILITY AND REACTIVITY

STABILITY Stable under normal storage conditions in original container for two years.

CONDITIONS TO AVOID None known.

MATERIALS TO AVOID Strong acids/bases. Oxidising and reducing agents.

HAZARDOUS DECOMPOSITION PRODUCTS Thermal decomposition may produce toxic fumes and compounds.

### 11. TOXICOLOGICAL INFORMATION

**ACUTE EFFECTS**No toxicological data is available for the finished product.

ORAL TOXICITY

LD50 (rat) 10,000 mg/kg for polyether modified trisiloxane

LD50 (rat) 4500 mg/kg for polyether modified trisiloxane

INHALATION TOXICITY Harmful if inhaled. Rat (4hr) >11.78 mg/L for polyether modified trisiloxane

EYE CORROSION / IRRITANCY Causes serious eye irritation.

SKIN CORROSION / IRRITANCY Causes skin irritation.

**CHRONIC EFFECTS** 

CARCINOGENICITY
REPRODUCTIVE TOXICITY
GERM CELL MUTAGENICITY
ASPIRATION HAZARD
STOT/SE
STOT/RE
NARCOTIC EFFECTS
No information
No information
No information
No information
No information

## 12. ECOLOGICAL INFORMATION

TOXICITY Toxic to the aquatic environmental with long lasting effects.

PRECAUTIONS This product must not be applied into or onto water. Avoid contamination of any water

supply with product or empty container. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the

application area.

ECOTOXICITY INFORMATION LD50 (rainbow trout, 96 hr) 2.1 mg/L for polyether modified trisiloxane

BIOACCUMMULATIVE No data available.

READILY DEGRADABLE No.

### 13. DISPOSAL CONSIDERATIONS

Do not contaminate streams, rivers or waterways with the chemical or the used container.

PRODUCT DISPOSAL

Dispose of by using product as intended, according to the label directions. If this is not possible, for small amounts, absorb with inert, non-combustible absorbent material (attapulgite or similar). Collect and place in a sealable, labelled container and safely dispose of at an approved landfill.

For large amounts contact your supplier or chemical recycling facility.



Air Transport (IATA / ICAO)

# **AGPRO Organosilicone**

### 13. DISPOSAL CONSIDERATIONS

CONTAINER DISPOSAL

Triple rinse container and add residue to spray tank. Return empty container to an Agrecovery collection point for disposal, or puncture and dispose of at an approved facility. Do NOT burn. Do not use the container for any other purpose.

Sea Transport (IMDG / IMO)

## 14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD ACCORDING TO LAND TRANSPORT RULE: DANGEROUS GOODS 2005, NZS 5433:2020, IMDG OR IATA



Hazchem

**UN Number:** 3082 3082 3082 **Proper Shipping Name: ENVIRONMENTALLY ENVIRONMENTALLY ENVIRONMENTALLY** HAZARDOUS SUBSTANCE, HAZARDOUS SUBSTANCE, HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains LIQUID, N.O.S., (contains LIQUID, N.O.S., (contains polyether modified trisiloxane polyether modified trisiloxane polyether modified trisiloxane

 >50%).
 >50%).
 >50%).
 >50%).

 Transport Hazard Class
 9
 9
 9

 Subsidiary Class

 Packing Group
 III
 III
 III

Marine Pollutant Status - Marine Pollutant -

The Environmentally Hazardous Substance Mark is not required when transported in packages of less than 5kg/L (UN Model Regulations: Special Provision 375; IATA Special Provision A197; IMDG; Special Provision 969)

3Z

## 15. REGULATORY INFORMATION

3Z

ACVM REGISTRATION Exempt from registration under the ACVM Act 1997.

Land Transport (NZS 5433)

HAZARDOUS SUBSTANCE HSR002503

GROUP STANDARD Additives Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020.

See the EPA website for approval controls www.epa.govt.nz

### **16. OTHER INFORMATION**

SDS ISSUE DATE 4 February 2022 SDS REVIEW DATE September 2026

REFERENCES Supplier SDS

NZ Workplace Exposure Standard and Biological Exposure Indices (Nov 2020)

NZ Chemical Classification Information Database

NZ EPA hazardous Substances Approvals and Group Standards



# **AGPRO Organosilicone**

## **16. OTHER INFORMATION**

**ABBREVIATIONS** 

ACVM Agricultural Compounds and Veterinary Medicines

CAS Number Chemical Abstract Service Number - used to uniquely identify chemical compounds

EPA Environmental Protection Authority (New Zealand)

g/L Grams per litre

GHS Globally Harmonised System

HSNO Hazardous Substances and New Organisms

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per cubic metre
STEL Short Term Exposure Limit
WES Workplace Exposure Standard

IMDG/IMO International Maritime Dangerous Goods / International Maritime Organisation
IATA / ICAO International Air Transport Association / International Civil Aviation Organisation

TLV Threshold Limit Value
TWA Time Weighted Average
OEL Occupational Exposure Limit

The data given here is based on current knowledge and experience. The purpose of this safety data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products properties.

End of Safety Data Sheet