

# 1. Identification of Substance & Company

#### **Product**

Product name Barrachlor 720®

ACVM Approval: P005947

HSNO approval HSR101015 Approval description Defendo 720SC

UN number 2902

Proper Shipping Name PESTICIDE, LIQUID, TOXIC N.O.S. contains Chlorothalonil)

DG class 6.1
Packaging group II
Hazchem code 2X

Uses Fungicide - A broad spectrum fungicide for controlling a range of fungal

diseases of fruit, selected vegetables, ornamental crops and turf.

**Company Details** 

Company: Arxada NZ Limited Address: 13-15 Hudson Rd

Bell Block New Plymouth New Zealand +64 6 755 9234 +64 6 755 1174

 Telephone:
 +64 6 755 9234

 Fax:
 +64 6 755 1174

 Website:
 www.arxada.co.nz

Email: office-newplymouth@arxada.com

Emergency Telephone Number: 0800CHEMCALL (0800 243 622) International Emergency Phone: +64 4 917 9888

#### 2. Hazard Identification

# **Approval**

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR101015, Defendo 720SC). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

# **GHS Classes**

# **Hazard Statements**

Acute toxicity category 2 (inhalation) H330 - Fatal if inhaled.

Eye damage category 1

Skin sensitiser category 1

Carcinogen category 2

H318 - Causes serious eye damage.

H317 - May cause an allergic skin reaction.

H341 - Suspected of causing cancer.

STOT\* repeated exposure category 1 H372 - Causes damage to organs through prolonged or repeated exposure.

Acute aquatic category 1 H400 - Very toxic to aquatic life.

Chronic aquatic category 1 H410 - Very toxic to aquatic life with long lasting effects.

Hazardous to soil organisms, H423 - Harmful to the soil environment. Hazardous to terrestrial vertebrates H432 - Toxic to terrestrial vertebrates.

\*STOT - System Target Organ Toxicity

# **SYMBOLS**

# DANGER









#### **Other Classifications**

There are no other classifications that are known to apply.





# **Precautionary Statements**

**Prevention** P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe vapours/spray\*.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection.

P284 - Wear respiratory protection.

Response P304+P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P310 - Immediately call a POISON CENTRE or doctor/physician.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE or doctor/physician. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P308+P313 - IF exposed or concerned: Get medical advice/ attention.

P391 - Collect spillage.

**Storage** P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

**Disposal** P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

#### 3. Composition / Information on Ingredients

Component	CAS/ Identification	Concentration
Chlorothalonil	1897-45-6	50-60% w/w
ingredients not contributing to GHS classes	mixture	balance

This is a commercial product whose exact ratio of components may vary slightly. Trace quantities of impurities are also likely.

# 4. First Aid

# **General Information**

Arxada NZ Limited has an emergency contact phone number: 0800 243 622, +64 4 917 9888

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended facilities

first

aid

Ready access to running water is recommended. Accessible eyewash is recommended.

#### **Exposure**

**Swallowed** 

IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Give a glass of water to drink.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.

Skin contact

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Inhaled

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing - avoid becoming a casualty. Immediately call a POISON CENTRE or doctor/physician. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep victim at rest until fully recovered. If breathing is laboured and patient cyanotic (blue), ensure airways are clear and have a qualified person give oxygen through a face mask. If breathing has stopped, apply artificial respiration at once. In event of cardiac arrest, apply cardiopulmonary resuscitation (CPR) if trained.





# **Advice to Doctor**

Treat symptomatically

### 5. Firefighting Measures

Fire and explosion hazards:

Suitable extinguishing

substances:

extinguishing

Unsuitable substances:

Products of combustion:

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

There are no specific risks for fire/explosion for this chemical. It is non-flammable.

spaces, forming potentially explosive mixtures.

Carbon dioxide, extinguishing powder, foam, fog sprays.

Protective equipment:

Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and

eye protection.

Unknown.

Hazchem code: 2X

#### 6. Accidental Release Measures

Containment If greater than 100L is stored, secondary containment and emergency plans to manage

any potential spills must be in place. In all cases design storage to prevent discharge to

storm water.

**Emergency procedures** In the event of spillage alert the fire brigade to location and give brief description of hazard.

> Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water

courses. (If this occurs contact your regional council immediately).

Use absorbent (soil, sand or other inert material). Rags are not recommended for the Clean-up method

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

**Disposal** Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved landfill.

Dispose of only in accord with all regulations.

**Precautions** Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

# 7. Storage & Handling

Store locked up. Store in original container only. Avoid storage of harmful substances with Storage

> food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible

substances as listed in Section 10.

Handling Tracking required. Use according to manufacturer's directions. Read the entire label before

mixing or use.

Records of use must be kept.

Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements. Avoid skin and eye contact

and inhalation of vapour, mist or aerosols.

# 8. Exposure Controls / Personal Protective Equipment

# **Workplace Exposure Standards**

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m<sup>3</sup> for respirable particulates and 10mg/m<sup>3</sup> for inhalable particulates when limits have not otherwise been established.

**NZ** Workplace **Exposure Stds**  Ingredient

**WES-TWA** 

**WES-STEL** 

No ingredients listed

#### **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation. Page 3 of 7

# Barrachlor 720<sup>®</sup> Safety Data Sheet



# **Personal Protective Equipment**

#### General

Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate.

Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

#### **Eyes**



Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact lenses. Select eye protection in accordance with AS/NZS 1337.

#### Skin



Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious gloves. PVC-coated gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Wash hands after

#### Respiratory



A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a 'ENTER RESPIRATOR TYPE'. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen,

#### **WES Additional Information**

Not applicable

# 9. Physical & Chemical Properties

**Appearance** white liquid Odour not specified Hq 5.8-7.8 (5%)

Vapour pressure no data for the mixture. Chlorothalonil 5.72 x 10<sup>-7</sup> mm Hg @ 25° C

**Viscosity** no data **Boiling point** no data Volatile materials no data Freezing / melting point no data

Solubility water dispersible

Specific gravity / density 1.34 Flash point no data Danger of explosion no data Auto-ignition temperature no data Upper & lower flammable limits no data non corrosive Corrosiveness

### 10. Stability & Reactivity

Stability Stable under normal use and storage conditions.

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme heat

and open flames. None known.

Incompatible groups

Specific Substance

Incompatibility

**Hazardous** 

decomposition

products

There are no specific incompatibilities for this chemical.

and under some circumstances, oxides of nitrogen.

**Hazardous reactions** none known





# 11. Toxicological Information

#### Summary

IF SWALLOWED: acute effect is not expected from this mixture, however see chronic effects below.

IF INHALED: toxic if inhaled. It can irritate the nose, throat and lungs causing cough, phlegm and/or tightness in the chest.

IF ON SKIN: Susceptible individuals may experience allergic skin reactions such as dermatitis. This mixture can be absorbed through the skin with possible effects to other parts of the body. Avoid all exposure to abraded or irritated skin and open wounds. IF IN EYES: Contact with the eyes may result in eye damage (chlorothalonil).

CHRONIC EFFECTS: Oral exposure to Chlorothalonil may cause renal toxicity. Inhalation of dusts/mists of this mixture may affect the respiratory system (chlorothalonil).

# **Supporting Data**

Eye

Acute Oral Using LD50's for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is

>2,000 mg/kg. Data considered includes: Chlorothalonil >2000 mg/kg.

**Dermal** Using LD<sub>50</sub>'s for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture is

>2,000 mg/kg. Data considered includes: Chlorothalonil >2,000 mg/kg (rat).

Inhaled Using LD<sub>50</sub>'s for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the mixture

is >5mg/L/4h. Data considered includes: Chlorothalonil 0.0925 mg/L.

The mixture is considered to be corrosive to the eye, because some of the ingredients

(chlorothalonil) present at >3% are considered eye corrosives.

**Skin** The mixture is not considered to be a skin irritant.

Sensitisation The mixture is considered to be a contact sensitizer, because chlorothalonil present in

greater than 0.1% is known to be a contact sensitizer.

Mutagenicity
No ingredient present at concentrations > 0.1% is considered a mutagen.
The mixture is considered to be a suspected carcinogen, because at

The mixture is considered to be a suspected carcinogen, because at least one of the ingredients (Chlorothalonil) present in greater than 0.1% is suspected to be a carcinogen.

No ingredient present at concentrations > 0.1% is considered a reproductive or

developmental toxicant or have any effects on or via lactation.

This mixture is considered a known human organ or systemic toxicant. At least one ingredient present at concentrations >1% is considered a target organ toxicant. Oral exposure to Chlorothalonil may cause renal toxicity. Inhalation of dusts/mists of this mixture

may affect the respiratory system (chlorothalonil).

**Aggravation** of None known.

existing conditions

Reproductive

Developmental Systemic

# 12. Ecological Data

# Summary

Chronic

This mixture is very ecotoxic towards aquatic organisms, toxic towards terrestrial vertebrates and harmful towards soil organisms.

# **Supporting Data**

Aquatic Using EC<sub>50</sub>'s for ingredients, the calculated EC<sub>50</sub> for the mixture is > 100 mg/L. Data

considered includes:

Chlorothalonil 0.0076 mg/L (96hr, Oncorhynchus mykiss), 0.059 mg/l (48hr, Daphnia

magna), 0.17 mg/l (72hr, green algae).

**Bioaccumulation** No data

**Degradability** Chlorothalonil is not readily biodegradable. Chlorothalonil: estimated to be 820.

**Soil** Chlorothalonil is moderately persistent in soil. The half life of Chlorothalonil is > 30days.

Terrestrial vertebrate See acute toxicity.

Terrestrial invertebrate No evidence of toxicity towards terrestrial invertebrates

**Biocidal** no data

# 13. Disposal Considerations

**Restrictions**There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-bear requirement.

rendered non-hazardous before discharge to the environment.

Contaminated packaging

Disposal of contaminated packaging must comply with the Hazardous Substances
(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of
containing any substance and is disposed in a manner that is consistent with the

Page 5 of 7 June 2022





requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.

#### 14. Transport Information

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for transport.

UN number: 2902 Proper shipping name: PESTICIDE, LIQUID, TOXIC N.O.S.

contains Chlorothalonil)

Class(es) 6.1 Packing group: III
Precautions: Toxic, Ecotoxic Hazchem code: 2X

#### 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR101015, Defendo 720SC. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

#### **Specific Controls**

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 100L is stored.

Certified handler Certified handlers and supervision and training of workers required.

Tracking Tracking required. Records of use must be kept.

Bunding & secondary containment Required if > 100L is stored. Signage Required if > 100L is stored.

Location compliance certificate Not required.

Flammable zone
Fire extinguisher
Application rate
Not required.
Not required.
See label for details.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

#### **Other Legislation**

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

#### 16. Other Information

#### **Abbreviations**

Approval Code Approval HSR101015, Defendo 720SC Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

EC50 Ecotoxic Concentration 50% - concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

**EPA** Environmental Protection Authority (New Zealand)

Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised

edition, 2017, published by the United Nations.

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

**HSNO** Hazardous Substances and New Organisms (Act and Regulations)

International Agency for Research on Cancer

**LEL** Lower Explosive Limit

**LD**<sub>50</sub> Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

NZIoC New Zealand Inventory of Chemicals



# Barrachlor 720<sup>®</sup> Safety Data Sheet

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

**STOT RE**System Target Organ Toxicity – Repeated Exposure
STOT SE
System Target Organ Toxicity – Single Exposure

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UELUpper Explosive LimitUN NumberUnited Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using

procedures that gather air samples in the worker's breathing zone.

**References** 

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: Suppliers SDS

**Review** 

**Date** Reason for review

June 2022 Not applicable - New SDS

#### **Disclaimer**

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

