

1. IDENTIFICATION

Product Name: ZETaPY

Other Names: Environmentally Hazardous Substance, Liquid, NOS (contains pyrethrins)

Recommended Use: Insecticide

Distributor: Key Industries Ltd

Address: PO Box 65 070 Mairangi Bay, Auckland 0754

Telephone: 09 917 1791 **Emergency Phone:** 027 4941659 **National Poisons Centre:** 0800 764 766

2. HAZARDS IDENTIFICATION

Hazard Classification: 6.3B, 6.5A, 6.5B, 6.8C, 6.9B, 9.1A, 9.3C, 9.4A

Causes mild skin irritation. Skin corrosion/irritation category 3

May cause an allergic skin reaction. Skin sensitization category 1

May cause harm to breast fed children Reproductive toxicity effects on or via lactation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Respiratory sensitization category 1

May cause damage to organs through prolonged or repeated exposure Specific target organ toxicity (repeated

exposure)category 2

Very toxic to aquatic life. Aquatic toxicity (acute/chronic) category 1

Harmful to terrestrial vertebrates Very toxic to terrestrial invertebrates.

3. COMPOSITION: Information on Ingredients

Ingredient	CAS Number	Concentration (%w/w)
Natural Pyrethrum	8003-34-7	2.6 – 3.0
Butylated Hydroxytoluene (BHT)	128-37-0	<0.3
Hydrotreated kerosene	64742-47-8	1.0 – 5.0
Balance – Ingredients not contributing to hazards	Proprietary	To 100%

4. FIRST AID MEASURES

Consult the National Poisons Information Centre 0800 POISON (0800 764 766) or a doctor in every case of suspected chemical poisoning. Never give fluids or induce vomiting if a patient is unconscious or convulsing regardless of cause of injury. If breathing difficulties occur seek medical attention immediately. **Swallowed**

If swallowed, do not induce vomiting. If conscious and alert, rinse mouth and drink 1-2 cupfuls of water. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth. Obtain medical attention.

Skin Contact

Immediately wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Destroy contaminated shoes and other contaminated leather articles such as belts and watchbands. Apply Vitamin E cream for skin irritations. Seek medical attention for skin irritations.

Eye Contact

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Do NOT allow victim to rub eyes or keep eyes closed. Obtain urgent medical attention.

Inhalation

Move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped. Obtain medical attention immediately.

Emergency Number: Key Industries (Frank Visser): 0274 941 659 Date of Issue1st July 2020 Date for Revision: July 2025 Page 1 of 5





First Aid facilities

Provide eye baths and safety showers close to areas where exposure may occur.

Medical Attention

The decision to induce vomiting should be made by a physician because rapid absorption of this material can occur through the lungs after aspiration from vomiting. Gastric lavage may be indicated if ingested. Emesis should not be performed unless a near fatal dose of material has been ingested. Emesis and aspiration of the lungs may cause chemical pneumonia with hydrocarbon solvent present. Treat symptomatically. No known antidote. Do not confuse with cholinesterase poisoning. In all cases consult the National Poisons Centre for the most up to date treatment information.

5. FIRE FIGHTING MEASURES

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress, providing fire fighters with this Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

Suitable extinguishing media

Fine spray, foam, dry chemical powder or carbon dioxide. Cool fire exposed container with water spray.

Hazards from combustion products

Decomposition from combustion will emit acrid smoke and irritating fumes containing carbon oxides.

Precautions for fire fighters and special protective equipment

Full protective clothing with chemical goggles, and self-contained breathing apparatus

Hazchem Code

Flash Point >95 °C

3Z

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Eliminate sources of ignition. Prevent product from escaping to drains and waterways. Contain leaking packaging in a containment vessel or bunded area. Prevent any vapours or dust from building up in confined areas. Ensure that drain valves are closed at all times. Clean up minor spills immediately.

Methods and materials for containment for a major spill

Eliminate sources of ignition. Warn occupants of downwind areas of possible hazards. Keep the public away from the area. Prevent product from entering sewers, watercourses, or low-lying areas. Shut off the source of the spill if safe to do so. Advise relevant authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation. Take measures to minimise the effect on the groundwater. If possible recover product using a pump paying attention to flammability hazards or absorbent material. Collect and seal in properly labelled containers for disposal. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. In all instances due consideration must be given for First Aid Measures (Section 4), PPE requirements (Section 8), Stability and Reactivity (Section 10) for this material.

7. HANDLING AND STORAGE

Precautions for safe handling

Keep out of reach of children. Keep containers closed Use only in well-ventillated areas. When handling do not eat, drink or smoke. Wash hands thoroughly after handling. Wash clothing separately before reuse.

Conditions for safe storage

Store in a cool, dry place away from direct sunlight. Keep away from heat and ignition sources. Store in original containers. Protect from physical damage to prevent accidental release. Do not store with food, feedstuffs, fertilizers and seeds.

Incompatible materials

None known.

Fire Extinguisher Requirements

No specific requirements.

Date of Issue1st July 2020 Date for Revision: July 2025 Emergency Number: Key Industries (Frank Visser): 0274 941 659
Page 2 of 5



8. EXPOSURE CONTROLS: Personal Protection

Exposure Limits

Pyrethrins; ACGIH 5 mg/m³. Hydrotreated Kerosene: ACGIH 525 mg/m³ (TWA). No WES TEL or EEL has been set by EPA for this product.

Engineering Controls:

The use of local exhaust ventilation is recommended to control process emissions near the source. Sufficient ventilation should be provided to keep the solvent in air concentrations below any relevant exposure limit. Provide mechanical ventilation of confined spaces. Explosion proof electrical equipment is not required but is recommended.

Hygiene Controls:

Facilities storing or utilising this material should be equipped with an eyewash facility, safety shower and facility for washing hands/face after work.

Personal Protective Equipment

Respiratory Protection: When handling this material it is recommended to use an approved respirator or half face mask complying with Worksafe and other relevant standards. An approved half/full face filter respirator for organic vapours should be worn when applying this product as a minimum.

Eye protection: Always use safety glasses or a chemical goggles when handling this product. Contact lenses may absorb and concentrate irritants, glasses are recommended.

Skin/ Body Protection: Always wear long sleeves and long trousers or coveralls, and enclosed footwear of safety boots when handling this product. It is recommended that chemical resistant gloves (eg nitrile, neoprene) be worn when handling this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear to slightly opaque liquid

Boiling Point (°C):

Melting Point(°C): No data available

Flash Point(°C): >95

Lower Explosive Limit, LEL (%):

Upper Explosive Limit, UEL (%):

SG/ Density, 20 °C (g/mL):

Vapour Pressure, 20 °C (kPa):

Alkalinity/ acidity as pH:

Solubility in water:

No data available

No data available

No data available

No data available

Forms an emulsion

The values listed are indicative of this product's physical and chemical properties. For a full product specification, please consult the Technical Data Sheet.

10. STABILITY AND REACTIVITY

Chemical stability

Stable at room temperature and pressure.

Hazardous decomposition products

Decomposition from combustion will emit acrid smoke and irritating fumes containing carbon oxides.

Specific Materials to Avoid

Strong acids, alkalis, oxidising agents, and heat.

Hazardous Polymerisation

Not known to occur.

Date of Issue1st July 2020 Date for Revision: July 2025 Emergency Number: Key Industries (Frank Visser): 0274 941 659
Page 3 of 5



11. TOXICOLOGICAL INFORMATION

Acute Effects

Ingestion: Low toxicity if swallowed. Can cause stomach irritation, resulting in nausea, cramps and vomiting. Excessive ingestion can cause nervous system disorders, such as fatigue, dizziness, headaches, lack of coordination, tremors and unconsciousness. Aspiration of the lungs can occur during vomiting leading to chemical pneumonitis.

Eye Contact: The liquid may cause transient irritation to the eyes. Avoiding eye contact is recommended. **Skin Contact:** This product may cause mild skin irritation upon contact. Avoid contact with the skin.

Inhalation: The vapour/mist is discomforting to the upper respiratory tract and lungs. Acute effects from inhalation of high vapour concentrations or mists may cause effects similar to that of ingestion.

Chronic Effects

Repeated inhalation or skin contact may cause sensitisation. Prolonged or repeated skin contact may cause irritation and possible dermatitis. Persons with pre-existing conditions are advised to limit or avoid product contact.

Other Health Effects Information

Not Available.

Toxicological Information

Oral LD₅₀: 500 mg/kg (rat) pyrethrins; >10,000 mg/kg formulated product (estimated) Inhalation LC₅₀: 3.4 mg/L (rat) pyrethrins; 121.9 mg/L formulated product (estimated)

12. ECOLOGICAL INFORMATION

Ecotoxicity

This product is harmful to the environment, with the potential to result in irreparable and irreversible effects. See hazard classifications in section 15 of this document.

Persistence/ **Biodegradability:** log P: 4.6. This product is expected to have moderate persistence in the environment with a soil half life 8-12 days, neutral pH water half life 35 day but is potentially bioaccumulative.

Mobility: This product is likely to have low mobility in the environment and low leaching potential.

Aquatic Toxicity

Fish toxicity LC₅₀: 0.0018 mg/L pyrethrins; 0.06 mg/L formulated product (estimated) Daphnia Magna EC₅₀: 0.0067 mg/L pyrethrins; 0.24 mg/L formulated product (estimated)

Green algae: >100 mg/kg formulated product (estimated)

13. DISPOSAL CONSIDERATIONS

Product Disposal

Dispose of product only by using according to label or using an approved waste disposal contractor. If this material as supplied becomes a waste care should be taken to ensure compliance with national and local authorities. It is the responsibility of the waste generator to determine the toxicity and physical properties of the waste generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Do not dispose of via municipal sewers, drains, natural streams or rivers

Packaging Disposal

Triple rinse container and add rinsate to the spray tank. Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain product residue that may be harmful. Ensure that empty packaging is managed in accordance with Dangerous Goods and HSNO regulations.

14. TRANSPORT INFORMATION

UN No: UN3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS (contains pyrethrins)

DG Class: 9

Subsidiary Risk:

Packing Group: III
Hazchem Code: 3Z

Environmental: Marine Pollutant

Date of Issue1st July 2020 Date for Revision: July 2025 Emergency Number: Key Industries (Frank Visser): 0274 941 659
Page 4 of 5



Dangerous Goods Segregation

This product is classified as Dangerous Goods by Road and Rail. Please consult the Land Transport Rule: Dangerous Goods 2005, and NZS 5433:1999 Transport of Dangerous Goods on Land for further information.

15. REGULATORY INFORMATION

Country/ Region: New Zealand

ACVM Approval Number: P009044

EPA Approval Number: HSR100392

HSNO Classifications: 6.3B: Skin Irritant; 6.5A Sensitiser (Respiratory); 6.5B Sensitiser (Contact);

6.8C (Reproductive/Development Toxicant); 6.9B Target Organ Toxicant; 9.1A Aquatic Ecotoxicant; 9.3C Ecotoxicant Terrestrial Vertebrate; 9.4A Ecotoxicant

Terrestrial Invertebrate

HSNO Controls: Trigger Quantities for this Material:

Certified Handler Test Certificate:Not Required
 Location/Transit Depot Certificate: Not required
 Hazardous Atmousphere Zone: Not required

Signage: 100 L

• Emergency Plan, Secondary Containment: 100L

Tracking: Not required

 Record Keeping: Required for application of ≥3kg of product in 24 hours (See HPC Notice 2017, section 48 for more detail)

The trigger quantities above must take into account any other hazardous substance that is present at that location. This represents a partial list of the controls for this material. Contact Key Industries Ltd a full list of HSNO controls.

16. OTHER INFORMATION

Reasons for Issue:

Review of SDS. Added GHS hazard labels. Updated HSNO controls and physical properties.

Abbreviations:

WES: Workplace Exposure Standard

TEL: Tolerable Exposure Limit

ACGIH: American Conference of Governmental Industrial Hygienists

EEL: Environmental Exposure Limit

HSNO: Hazardous Substances and New Organisms

References:

- Supplier Safety Data Sheets
- Hazardous Substances Databank
- EPA Chemical Classification Information Database
- PPDB Pesticide Properties Database
- Sax's Dangerous Properties of Industrial Materials, 11th Ed, 2007
- Synapse Chemlib Handbook of Solvents

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the suppliers knowledge. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Key Industries Limited.