

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

Section 1: Identification

Product name : AVAUNT® 30 WG Insecticide

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC New Zealand Ltd

Address : IRD number: 101-200-019
6 Clayton Street, Newmarket
1023 Auckland
New Zealand

Telephone : +640800658080

Telefax : (09)-271-2961

E-mail address : SDS-Info@fmc.com

Emergency telephone number : For leak, fire, spill or accident emergencies, call:
0800 734 607 (Ixm)

Medical emergency:
0800 764 766 (NZ Poisons Information Centre)
0800 111174 (24 hour Medical Emergency)
0800 387668 (Transport Emergency)

Section 2: Hazard identification

GHS Classification

Acute toxicity (Oral) : Acute Tox.4

Skin sensitisation : Skin Sens.1

Specific target organ toxicity - repeated exposure : STOT RE1 (Blood, Nervous system)

Hazardous to the aquatic environment - acute hazard : Aquatic Acute1

Hazardous to terrestrial vertebrates

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

Hazardous to terrestrial invertebrates

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H372 Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H432 Toxic to terrestrial vertebrates.
H441 Very toxic to terrestrial invertebrates.

Precautionary statements

: **Prevention:**
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

indoxacarb (ISO)	173584-44-6	30
Lignin, alkali, reaction products with formaldehyde and sodium bisulfite	68512-35-6	>= 30 -< 50
silica gel	112926-00-8	>= 10 -< 20

Section 4: First-aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Acute effects on nervous system: drowsiness, tremors, paralysis.
Chronic, additionally: Cyanosis
- Harmful if swallowed.
Causes damage to organs through prolonged or repeated exposure.
May produce an allergic reaction.
- Notes to physician : Indoxacarb acts by blocking sodium channels in the nervous system. Secondly, it has oxidant effects on red blood cells causing methemoglobinemia.
Gastric lavage and/or administration of activated charcoal can be considered. After decontamination, treatment is primarily supportive and symptomatic. Consider possibility of methemoglobinemia and treat with methylene blue if required.
Treat symptomatically.

Section 5: Fire-fighting measures

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Thermal decomposition can lead to release of irritating gases and vapours.
Chlorinated compounds
Fluorinated compounds
Nitrogen oxides (NO_x)
Carbon oxides
Hydrogen cyanide
Hydrogen chloride
Hydrogen fluoride
Sulphur oxides
- Specific extinguishing methods : Use a water spray to cool fully closed containers.
Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
- Hazchem Code : 2Z
-

Section 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
If it can be safely done, stop the leak.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

AVAUNT® 30 WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.2	21.07.2023	50000054	Date of first issue: 03.01.2018

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Hygiene measures : General industrial hygiene practice.
Avoid contact with skin, eyes and clothing.
Do not breathe dust or spray mist.

When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

Section 8: Exposure controls/personal protection
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
silica gel	112926-00-8	WES-TWA	10 mg/m ³	NZ OEL

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

- that exposures are within recommended exposure guidelines.
- Filter type : Particulates type
- Hand protection Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
- In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Section 9: Physical and chemical properties

- Physical state : solid
- Form : dry, free flowing granules
- Colour : dark brown
- Odour : mild, woody
- Odour Threshold : not determined
- pH : 7.5 (20 °C)
Concentration: 10 g/l
- Melting point/freezing point : Not available for this mixture.
- Boiling point/boiling range : No data available
- Flash point : Not applicable

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

Evaporation rate : Not available for this mixture.

Flammability (solid, gas) : Does not sustain combustion.

Self-ignition : not auto-flammable

Upper explosion limit / Upper flammability limit : Not available for this mixture.

Lower explosion limit / Lower flammability limit : Not available for this mixture.

Vapour pressure : Not available for this mixture.

Relative vapour density : Not available for this mixture.

Relative density : 0.8

Density : No data available

Bulk density : 800 kg/m³

Solubility(ies)
Water solubility : dispersible

Partition coefficient: n-octanol/water : Not available for this mixture.

Auto-ignition temperature : No data available

Decomposition temperature : not determined

Viscosity
Viscosity, dynamic : Not applicable
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Particle size : ca. < 2,000 µm

Section 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Dust may form explosive mixture in air.

Conditions to avoid : Avoid dust formation.

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

Heat, flames and sparks.

Incompatible materials : Avoid strong acids, bases, and oxidizers

Hazardous decomposition products : Stable under recommended storage conditions.

Section 11: Toxicological information

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat, male): 1,876 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat, female): 687 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Components:

indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, female): 179 mg/kg
Method: OECD Test Guideline 401
Target Organs: Nervous system
Symptoms: hypoactivity, Tremors, ataxia, Fatality
GLP: yes

LD50 (Rat): 407 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

LC50 (Rat): > 5.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

silica gel:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Components:

indoxacarb (ISO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Remarks : May cause skin irritation and/or dermatitis.

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Result : No skin irritation

silica gel:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

Method : OECD Test Guideline 405

Components:

indoxacarb (ISO):

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

Remarks : Product dust may be irritating to eyes, skin and respiratory system.

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Result : Moderate eye irritation

silica gel:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Maximisation Test
Species : Guinea pig
Assessment : Did not cause sensitisation on laboratory animals.
Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.
Remarks : Based on New Zealand EPA approved classification.

Components:

indoxacarb (ISO):

Species : Guinea pig
Result : May cause sensitisation by skin contact.

Test Type : Buehler Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
GLP : yes

AVAUNT® 30 WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.2	21.07.2023	50000054	Date of first issue: 03.01.2018

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: May cause sensitisation by skin contact.
Method	: US EPA Test Guideline OPPTS 870.2600
Result	: May cause sensitisation by skin contact.
GLP	: yes

Remarks : Causes sensitisation.

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Species	: Guinea pig
Result	: Not a skin sensitizer.

Chronic toxicity
Germ cell mutagenicity

Not classified based on available information.

Components:
indoxacarb (ISO):

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity - Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
-----------------------	--

silica gel:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Species: Rat (male) Application Route: Inhalation Result: negative Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

AVAUNT® 30 WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.2	21.07.2023	50000054	Date of first issue: 03.01.2018

Components:
indoxacarb (ISO):

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

silica gel:

Species : Rat
 Application Route : Oral
 Exposure time : 103 weeks
 Method : OECD Test Guideline 453
 Result : negative
 Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:
indoxacarb (ISO):

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.
 Animal testing did not show any effects on foetal development.

silica gel:

Effects on fertility : Species: Rat
 General Toxicity - Parent: NOAEL: 1.5 mg/kg bw/day
 Fertility: NOAEL: > 6.9 mg/kg body weight

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Oral
 General Toxicity Maternal: NOAEL: 2 mg/kg bw/day
 Embryo-foetal toxicity: NOAEL: 2 mg/kg bw/day
 Symptoms: Reduced foetal weight, Reduced number of viable fetuses

Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Oral
 General Toxicity Maternal: NOAEL: 500 mg/kg bw/day
 Embryo-foetal toxicity: NOAEL: 500 mg/kg bw/day
 Symptoms: Reduced foetal weight, fused or incompletely ossified sternebrae

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

Components:**indoxacarb (ISO):**

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

STOT - repeated exposure

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

Components:**indoxacarb (ISO):**

Target Organs : Blood, Nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****indoxacarb (ISO):**

Species : Rat, female
NOAEL : 3.28 mg/kg
LOAEL : 7.53 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
GLP : yes
Target Organs : Blood

silica gel:

Species : Rat, male and female
NOAEL : 2,500 mg/kg
Application Route : Oral
Exposure time : 13 weeks
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 1.3 - 10 mg/l
LOAEL : 5.9 mg/l
Application Route : Inhalation
Exposure time : 13 weeks
Method : OECD Test Guideline 413
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

Remarks : Acute effects on nervous system: drowsiness, tremors, paralysis.
Chronic, additionally: Cyanosis

Components:

indoxacarb (ISO):

Remarks : No data available

Section 12: Ecological information

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.8 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.7 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): > 1.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 580 mg/kg
Method: US EPA Test Guideline OPP 71-1
GLP: yes

LD50 (Apis mellifera (bees)): 0.0016 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OEPP/EPPO Test Guideline 170
GLP: yes

LD50 (Apis mellifera (bees)): 0.0013 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OEPP/EPPO Test Guideline 170
GLP: yes

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Components:

indoxacarb (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l
Exposure time: 96 h

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.6 mg/l
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.15 mg/l
Exposure time: 90 d
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.09 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 202
GLP: yes

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,250 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): 0.216 µg/bee
End point: Acute oral toxicity

LD50 (Colinus virginianus (Bobwhite quail)): 152 mg/kg

LD50 (Apis mellifera (bees)): 0.094 µg/bee
End point: Acute contact toxicity

LD50 (Colinus virginianus (Bobwhite quail)): 98 mg/kg

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 615 mg/l
Exposure time: 96 h

silica gel:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 10,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : NOELR (Desmodesmus subspicatus (green algae)): 10,000

AVAUNT® 30 WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.2	21.07.2023	50000054	Date of first issue: 03.01.2018

plants mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability**Components:****indoxacarb (ISO):**

Biodegradability : Result: Not readily biodegradable.

Lignin, alkali, reaction products with formaldehyde and sodium bisulfite:

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: < 5 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301E

silica gel:

Biodegradability : Result: Not biodegradable
 Remarks: Based on data from similar materials

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: Does not bioaccumulate.
 Information refers to the main component.

Components:**indoxacarb (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
 Bioconcentration factor (BCF): 77.3
 Exposure time: 21 d
 Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 0.57 (20 °C)

silica gel:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
 Remarks: Based on data from similar materials

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

Mobility in soil

Components:

indoxacarb (ISO):

Distribution among environmental compartments : Koc: 4483 ml/g, log Koc: 3.65
Remarks: Low mobility in soil

Other adverse effects

Product:

Additional ecological information : No other ecological effects to be specially mentioned.
See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Section 13: Disposal considerations

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Indoxacarb)
Class : 9
Subsidiary risk : ENVIRONM.
Packing group : III
Labels : 9 (ENVIRONM.)

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

(Indoxacarb)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Indoxacarb)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Environmentally hazardous substances/Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 kg or less for solids, or having a net quantity per single or inner packaging of 5 L or less for liquids may be transported as non-dangerous goods as provided in special provision A197 of the IATA and section 2.10.2.7 of IMDG code.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Indoxacarb)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version 1.2 Revision Date: 21.07.2023 SDS Number: 50000054 Date of last issue: -
Date of first issue: 03.01.2018

HSNO Approval Number

HSR000578
ACVM Number: P005355

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. METHYL (S)-7-CHLORO-2,3,4A,5-TETRAHYDRO-2- {(METHOXYCARBONYL)[4- (TRIFLUOROMETHOXY)PHENYL]CARBAMOYL}INDENO[1, 2-E][1,3,4]OXADIAZINE-4A-CARBOXYLATE Lignin, alkali, reaction products with formaldehyde and sodium bisulfite
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

Section 16: Other information

Revision Date : 21.07.2023
Date format : dd.mm.yyyy

Full text of other abbreviations

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

SAFETY DATA SHEET



AVAUNT® 30 WG Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.2	21.07.2023	50000054	Date of first issue: 03.01.2018

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

NZ / 6N